



EASYMASS®

MAKES BALLASTING LIGHT WORK

CATALOG



WEIGHTS **NEW RANGES**

- » **CAST IRON** P.04-07
- » **MINERAL CASTING RC-90** P.08-09
- » **CONCRETE** P.10



ACCESSORIES

- » **FLEXIMASS ECO** P.11
- » **HITCH KIT** P.11



BUMPERS


- » **EASYBUMPER** **NEW** P.12-13
- » **AGRIBUMPER** P.14-15



WHEELWEIGHTS


- » **SO EASY** P.16-17

» EASYMASS® is the answer for your **ballasting** problems.
Robust Cast Iron weights with perfect finish, **easy to adjust**
thanks to the add-on weights and **easy to use**.




OUR RANGE OF EASYMASS WEIGHTS **NEW RANGES**

- » Cast iron weights, Mineral Casting RC-90 or concrete, variable ballasting from 450 up to 2600 KG.
- » Available in Black, Grey and Green.





AGRIBUMPER

- » Safety and visibility
- » Variable Ballasting
- » Fronthitch can still be used **NEW RANGE**



OUR ACCESSORIES

- » Our **Fleximass Eco systems**, a smarter way to ballast your rear hitch.
- » Hitch KIT



OUR WHEEL WEIGHT SYSTEM SO EASY

- » The patented wheel ballast system.
- » Kit can be used for several different tractors.
- » Fast adding or removing of the weights.

WEIGHTS

»»» CAST IRON WEIGHTS

- » **Robust** cast iron weights with a nice and smooth surface finish.
- » **Delivery complete** with pins and top support. Ready to use.
- » Compatible with our ADD-ON weights (*See next page*)
- » Thanks to **2 sleeves at the bottom** (patented), our weights can be easily moved with a pallet truck or forklift.

*Nice and smooth surface finish
5 years warranty*



***2 Sleeves at the bottom (patented)**
Easy to move*



Bigpack weight 900 KG + 600 KG ADD-ON = 1500 KG



Bigpack weight 900 KG

BIGPACK

BIGPACK WEIGHT 600 KG available in : ■ ■



BIGPACK WEIGHT 900 KG available in : ■ ■



BIGPACK WEIGHT 1800 KG available in : ■ ■ ■



Bigpack weight 1800 KG



TOOLBOX 450 KG available in : ■ ■ ■

- » The hollow interior has a capacity of **157 liters**
- » With or without **Easybumper** options, or **add-on weights**



NEW

Toolbox 450 KG + Easybumper



Toolbox
450 KG (opened)
+ Easybumper

ADD-ON

Variable Ballasting from 750 KG up to 2400 KG

ADD-ON 300 KG available in :



BIGPACK 600 KG

+ ADD-ON 300 KG
= TOTAL BALLAST 900 KG



BIGPACK 900 KG

+ ADD-ON 300 KG
= TOTAL BALLAST 1200 KG



BIGPACK 1800 KG

+ ADD-ON 300 KG
= TOTAL BALLAST 2100 KG



TOOLBOX 450 KG

+ ADD-ON 300 KG
= TOTAL BALLAST 750 KG



ADD-ON 600 KG available in :



+ ADD-ON 600 KG
= TOTAL BALLAST 1200 KG



+ ADD-ON 600 KG
= TOTAL BALLAST 1500 KG



+ ADD-ON 600 KG
= TOTAL BALLAST 2400 KG



+ ADD-ON 600 KG
= TOTAL BALLAST 1050 KG



Bigpack 900 KG + add-on 600 KG
= Total ballast 1500 KG



Bigpack 1800 KG + add-on 600 KG
= Total ballast 2400 KG




POLYVALENT

» For John Deere tractors


» Can be fitted on the fronthitch as well as directly on the original weight carrier

POLYVALENT 600 KG




Compatible with additional cast iron weights :
(see page 5)


+ ADD-ON 300 KG
= **TOTAL BALLAST 900 KG**



+ ADD-ON 600 KG
= **TOTAL BALLAST 1200 KG**




POLYVALENT 900 KG




Compatible with additional cast iron weights :
(see page 5)

+ ADD-ON 300 KG
= **TOTAL BALLAST 1200 KG**



+ ADD-ON 600 KG
= **TOTAL BALLAST 1500 KG**



Polyvalent weight 900 KG + ADD-ON 600 KG
(fitted on the front hitch)



On the original weight carrier



»»» MINERAL CASTING RC-90

- » Mineral Casting RC-90 weights highly reinforced
- » Economical alternative to our cast iron weights
- » Compatible with our ADD-ON weights (See page 5)
- » Delivery complete with pins and top support. Ready to use.
- » Thanks to **2 sleeves at the bottom** (patented), our weights can be easily moved with a pallet truck or forklift.

NEW RANGE




**2 Sleeves at the bottom
(patented)
= Easy to move**



*Highly reinforced
5 years warranty*


MC-90 weight with Add-on and Easybumper





MINERAL CASTING RC-90 600 KG

available in :    Density : **2.40 g/cm³** (weight tolerance + - 3%)



Compatible with :

+ ADD-ON 300 KG
= **TOTAL BALLAST 900 KG**




+ ADD-ON 600 KG
= **TOTAL BALLAST 1200 KG**



MINERAL CASTING RC-90 800 KG

available in :    Density : **3.20 g/cm³** (weight tolerance + - 3%)



Compatible with :

+ ADD-ON 300 KG
= **TOTAL BALLAST 1100 KG**




+ ADD-ON 600 KG
= **TOTAL BALLAST 1400 KG**



MINERAL CASTING RC-90 1050 KG

available in :    Density : **4.15 g/cm³** (weight tolerance + - 3%)



Compatible with :

+ ADD-ON 300 KG
= **TOTAL BALLAST 1350 KG**



+ ADD-ON 600 KG
= **TOTAL BALLAST 1650 KG**



»» "TOP LINE" CONCRETE

» Concrete weights

» Side reflectors for more safety

NEW RANGE

"TOP LINE" CONCRETE 450 KG

Available in : ■ ■ ■

"TOP LINE" CONCRETE 600 KG

Available in : ■ ■ ■



"TOP LINE" CONCRETE 750 KG

Available in : ■ ■ ■

"TOP LINE" CONCRETE 900 KG

Available in : ■ ■ ■




"TOP LINE" CONCRETE 1050 KG

Available in : ■ ■ ■



"TOP LINE" CONCRETE 1450 KG

Available in : ■ ■ ■



ACCESSORIES

»»» FLEXIMASS ECO

- » To be mounted on the **EASYMASS 1800kg bigpackweights**. Can take an implement up to approx. 5T



»»» HITCH KIT

- » To be mounted on the **Easymass 900kg bigpack weight**, for smaller implements up to approx. 1T




BUMPERS

»»» EASYBUMPER

NEW RANGE

- » Bumper for all Tractor brands
- » Shock absorption function
- » Width marker with LED lighting
- » Width of 2m50 (fully extended) and weight of 50kg
- » Assembly possible with EASYMASS® Toolbox, Mineral Casting RC-90 and Cast Iron weight 1800 KG, compatible with Add-on weights (see page 5)



Safe ballasting

»»» **Shock absorption system**




Easybumper with EASYMASS® Toolbox



Easybumper with EASYMASS® Toolbox




CONFIGURATION EXAMPLES :




» With the EASYMASS® toolbox

POSSIBLE COMBINATION WITH :

+ ADD-ON
(300 ou 600 KG)



» With Mineral Casting RC-90




Also available with
Mineral Casting RC-90
600 KG, 800 KG or 1050 KG

POSSIBLE COMBINATION WITH :

+ ADD-ON
(300 ou 600 KG)



» With Bigpack 1800 KG




POSSIBLE COMBINATION WITH :

+ ADD-ON
(300 ou 600 KG)



»»» AGRIBUMPER

- » Bumper for all Tractor brands
- » Width indication
- » Width marker with LED lighting
- » Color on your request or following the hood of your tractor
- » Possible assembly with our **bigpack weights** (600 KG, 900 KG or 1800 KG), compatible with **add-on weights** (300 KG or 600 KG)



*Variable Ballasting
Safety +
Visibility*

»»» *The only real solution to ballast your front axle **and** still keep your Fronthitch and PTO accessible!*



BASE-LINE

- » Width 2m20
- » Variable Ballasting **from 350 KG till 1000 KG** + up to 3150 KG in the EASY-LINE version (see next page)

Combination with implement in the fronthitch




WEIGHT-LINE

- » Width 2m50
- » Variable Ballasting from 400 KG till 2000 KG + up to 3400 KG in the EASY-LINE version (see next page)



Weight Line in combination with EASYMASS 900 KG bigpack weight and its 600 KG ADD-ON.




AVAILABLE OPTIONS :




» Toolbox



» Center Weight Set




» Weight Set L+R




POSSIBLE COMBINATION WITH :

+ TOOLBOX




+ CENTER WEIGHT SET



» Bigpack




Also available with the 600 KG, 900KG or 1800 KG bigpack weights




POSSIBLE COMBINATION WITH :

+ ADD-ON
(300 or 600 KG)



+ WEIGHT SET L+R



+ ADD-ON (300 or 600 KG)
+ WEIGHT SET L+R



WHEEL WEIGHTS


»»» SO EASY

Patented



- » Casted weights
- » Compatible with 8-hole 275mm or 10-hole axles (all brands of tractors)
- » Shipped on a **rack to use** for vertical storage of weights
- » Easy for handling thanks to forklift cutouts
- » Weight units can be used on several tractors
- » Avoid wasting energy

Cutouts
+ Vertical storage
= Easy to handle





Install and removal of weights in less than 5 minutes per side



1

» Install weight receiver on the wheel flange (8 or 10 point axles).

» Make sure the middle part is HORIZONTAL by moving the tractor.

2



3

» Lift weights by inserting forks in **cut-outs** and bring them to the weight receiver.

» Retain them on the weights receiver by inserting loose pins. Repeat process if more than one weight section is to be installed. This for security reasons so weights **can not** be dropped, **can not** fall!

4



5



» Weights are kept in place with a clamp which holds the weights with one torqued (280 à 300Nm) bolt. Once the clamp is in place, loose pins can be removed.

6

» **ALWAYS RESPECT TORQUE 280 / 300Nm.**
LOOSE PINS can be safely removed!





EASYMASS®

» THE answer for your ballasting problems !



EASYMASS®
MAKES BALLASTING LIGHT WORK

EASYMASS® SAS
02190 Villeneuve-sur-Aisne
(France)

Tél : 33(0)3 23 21 35 04
Fax : 33(0)3 23 21 12 65
contact@easymass.fr
www.easymass.fr

